

Cambridge International AS & A Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

5712505207



MATHEMATICS

9709/12

Paper 1 Pure Mathematics 1

February/March 2021

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.

BLANK PAGE



- 1 (a) Find the first three terms in the expansion, in ascending powers of x , of $(1 + x)^5$. [1]

.....

.....

.....

.....

.....

.....

- (b) Find the first three terms in the expansion, in ascending powers of x , of $(1 - 2x)^6$. [2]

.....

.....

.....

.....

.....

.....

- (c) Hence find the coefficient of x^2 in the expansion of $(1 + x)^5(1 - 2x)^6$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


$$(2x-3)^2 - \frac{4}{(2x-3)^2} - 3 = 0. \quad [4]$$

A series of horizontal dotted lines for handwriting practice.

HEAD

- 3** Solve the equation $\frac{\tan \theta + 2 \sin \theta}{\tan \theta - 2 \sin \theta} = 3$ for $0^\circ < \theta < 180^\circ$. [4]


A series of horizontal dotted lines for writing.


A circular logo located at the bottom right corner of the page. It features a grey outer ring with the words "GO AHEAD" written in white capital letters. Inside the ring is a solid red circle.

- 4** A line has equation $y = 3x + k$ and a curve has equation $y = x^2 + kx + 6$, where k is a constant.

Find the set of values of k for which the line and curve have two distinct points of intersection. [5]

A series of horizontal dotted lines for writing.

A circular logo located at the bottom right corner of the page. The word "AHEAD" is written in a bold, sans-serif font, following the curve of the top half of the circle. The background of the circle appears to have a textured or patterned design.



(a) Describe fully the two single transformations of $y = f(x)$ that have been combined to give the resulting transformation. [4]

[illegible]

(b) State in terms of y , f and x , the equation of the graph shown with broken lines. [2]

[illegible]


- 6** A curve is such that $\frac{dy}{dx} = \frac{6}{(3x-2)^3}$ and $A(1, -3)$ lies on the curve. A point is moving along the curve and at A the y -coordinate of the point is increasing at 3 units per second.

(a) Find the rate of increase at A of the x -coordinate of the point.

[3]

[illegible]

A series of horizontal dotted lines for writing.

A circular logo located at the bottom right corner of the page. It features the word "AHEAD" in a bold, sans-serif font, curved along the top edge of a circle. The background of the circle appears to have a textured or patterned design.

$$g : x \mapsto 2x + 1 \text{ for } x \geq -1.$$

- (a) Express $f(x)$ in the form $(x + a)^2 + b$ and state the range of f . [3]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. In the bottom right corner, there is a small, partially visible circular logo with the letters "HEA" inside it. The rest of the page is empty.

(b) Find an expression for $f^{-1}(x)$.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Solve the equation $gf(x) = 13$.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 8** The points $A(7, 1)$, $B(7, 9)$ and $C(1, 9)$ are on the circumference of a circle.

(a) Find an equation of the circle.

[5]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. In the bottom right corner, there is a small, dark circular logo with the letters "AHEA" written inside it. The rest of the page is empty.

[2]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. In the bottom right corner, there is a small, dark gray circular logo with the word "AREA" written in white capital letters.

9 The first term of a progression is $\cos \theta$, where $0 < \theta < \frac{1}{2}\pi$.

(a) For the case where the progression is geometric, the sum to infinity is $\frac{1}{\cos \theta}$.

(i) Show that the second term is $\cos \theta \sin^2 \theta$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Find the sum of the first 12 terms when $\theta = \frac{1}{3}\pi$, giving your answer correct to 4 significant figures. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

- (b)** For the case where the progression is arithmetic, the first two terms are again $\cos \theta$ and $\cos \theta \sin^2 \theta$ respectively.

Find the 85th term when $\theta = \frac{1}{3}\pi$.

[4]

[illegible]



(a) For the case where angle $BAC = \frac{1}{6}\pi$ radians, find k correct to 4 significant figures. [5]

[illegible]


- (b) For the general case in which angle $BAC = \theta$ radians, where $0 < \theta < \frac{1}{2}\pi$, it is given that $\frac{\theta}{\sin \theta} > 1$.

Find the set of possible values of k .

[3]

[illegible]

11



The diagram shows the curve with equation $y = 9(x^{-\frac{1}{2}} - 4x^{-\frac{3}{2}})$. The curve crosses the x -axis at the point A .

(a) Find the x -coordinate of A .

[2]

.....

.....

.....

.....

.....

.....

.....

(b) Find the equation of the tangent to the curve at A .

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

[4]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.