## Cambridge International AS & A Level

Paper 6 Probak	oility & Statistics 2	AHA	February/March 2022
MATHEMATIC	CS		9709/62
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

You must answer on the question paper.

You will need: List of formulae (MF19)

## **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

## **INFORMATION**

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has 12 pages.

2	200	201	198	202	200	199	199	201	197	202	200	199
ı)	Find	unbiase	ed estima	ates of th	ne popul	ation me	an and	variance.				[3
					1 1							
	•••••	•••••	•••••	•••••	••••••	••••••	•••••	•••••	•••••	••••••	•••••	•••••
	•••••											
	•••••	•••••	•••••	•••••	••••••	••••••	•••••	••••••		•••••••	•••••	•••••
	•••••	•••••	•••••	•••••			•••••				•••••	•••••
	•••••											•••••
	•••••	•••••	•••••	•••••	••••••	••••••	•••••	••••••		•••••••	•••••	•••••
	•••••	•••••		•••••							•••••	•••••
	•••••	•••••							•••••			•••••
<b>)</b>	Give	e a statis	tical reas	son why	these es	stimates	may not	be relial	ble			[1
-,	01,0			, , , , , , , , , , , , , , , , , , , ,								(-
	•••••			•••••							•••••	•••••
	•••••	•••••	•••••				•••••		•••••		•••••	•••••
	•••••	•••••	•••••	•••••			•••••		•••••		•••••	HEA

2	Harry has a five-sided spinner with sectors coloured blue, green, red, yellow and black. Harry thinks
	the spinner may be biased. He plans to carry out a hypothesis test with the following hypotheses.

 $H_0$ : P(the spinner lands on blue) =  $\frac{1}{5}$ 

 $H_1$ : P(the spinner lands on blue)  $\neq \frac{1}{5}$ 

Harry spins the spinner 300 times. It lands on blue on 45 spins.

Use a suitable approximation to carry out Harry's test at the 5% significance level.	[5]
	•••••
	•••••
	DHEAD



3

		< <i>p</i> <		-												
Fino	d the co	nfiden	ce leve	el of thi	is conf	fidenc	e inte	rval.	Give :	your a	inswer	corre	ct to th	e near	est into	eger. [5]
																[5]
••••	•••••		•••••	••••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	••••••	•••••	••••••	•••••	•••••
	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	•••••	•••••	
••••	•••••		•••••	•••••	•••••	•••••		•••••	•••••				•••••		•••••	•••••
••••		• • • • • • • • • • • • • • • • • • • •	•••••		•••••	•••••	•••••	•••••	•••••				•••••		•••••	
									•••••				•••••		•••••	
						•••••	•••••						•••••			
													•••••			
••••	•••••	•	•••••	••••••	•••••	•••••	••••••	•••••	•••••	••••••	•••••	••••••	• • • • • • • • • • • • • • • • • • • •	••••••	•••••	•••••
••••	••••••		•••••	••••••	•••••	••••••	••••••	••••••	•••••	••••••	•••••	••••••	•••••	••••••	•••••	•••••
••••	•••••		•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••		•••••		•••••	•••••
••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	•••••	
							••••••		•••••				•••••		•••••	
								•••••	•••••							
					•••••	•••••					•••••		•••••			
							•••••						•••••			



4

In the past the time, in minutes, taken by students to complete a certain challenge had mean 25.5

(a)	Assuming that the standard deviation of the time for the new challenge is 5.2 minutes, test the 1% significance level whether the population mean time for the new challenge is less tha 25.5 minutes.
<b>(b)</b>	State, with a reason, whether it is possible that a Type I error was made in the test in part (a).

5

The heights of buildings in a large city are normally distributed with mean 18.3 m and standard

	n 95 m.									
••••	•••••		•••••				•••••		•••••	
	•••••	•••••	•••••	•••••		•••••				•••••
••••	•••••	•••••	••••••	•••••	••••••	••••••	••••••	•••••	••••••	•••••
•••••	•••••	•••••	••••••	•••••		•••••	•••••	•••••	••••••	
	•••••	•••••	•••••	•••••		•••••				•••••
••••	•••••									
	•••••									
••••			•							
••••	•••••	•••••	••••••	•••••	••••••	••••••	••••••	•••••	••••••	•••••
••••	•••••			•••••			•••••		••••••	
••••										
	•••••									•••••

b)	Find the probability that the difference between the heights of two randomly chosen buildings in the city is less than 1 m. [5]
	AHEA



6 In a game a ball is rolled down a slope and along a track until it stops. The distance, in metres, travelled by the ball is modelled by the random variable *X* with probability density function

$$f(x) = \begin{cases} -k(x-1)(x-3) & 1 \le x \le 3, \\ 0 & \text{otherwise,} \end{cases}$$

where k is a constant.

© UCLES 2022

(a)	Without calculation, explain why $E(X) = 2$ .	[1]
<b>(L.)</b>	Share deat 1 3	[2]
<b>(D)</b>	Show that $k = \frac{3}{4}$ .	[3]
		TA 6
		AHEAL



(c)	Find $Var(X)$ . [3]
Oma	turn consists of rolling the hell 2 times and noting the largest value of V obtained. If this largest
	turn consists of rolling the ball 3 times and noting the largest value of $X$ obtained. If this largest e is greater than 2.5, the player scores a point.
( <b>d</b> )	Find the probability that on a particular turn the player scores a point. [4]
	AHEAD



Use	appropriate Poisson approximations to find the following probabilities.
<b>(i)</b>	The samples contain at least 2 carp from pond $A$ and at least 2 carp from pond $B$ .
(ii)	The samples contain at least 4 carp altogether.



<b>(b)</b>	The random variables $X$ and $Y$ have the distributions $Po(\lambda)$ and $Po(\mu)$ respectively. It is given that
	• $P(X = 0) = [P(Y = 0)]^2$ ,
	• $P(X = 2) = k[P(Y = 1)]^2$ , where k is a non-zero constant.
	Find the value of $k$ . [4]



## **Additional Page**

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.